

Saving Time

Saving Money

Conserving Resources



Seametrics

Technology with a Mission



INDUSTRIAL/MUNICIPAL PRICE LIST 2012

ISO 9001:2008
CERTIFIED COMPANY

www.seametrics.com

Effective January 1, 2012

US Price List Terms and Conditions

Terms and Conditions of Your Purchase

Placement of a Purchase Order with Seametrics constitutes unconditional acceptance of the following Terms & Conditions, and supersedes buyer Terms & Conditions not agreed upon in writing by Seametrics Accounting.

Acceptance

> Seametrics reserves the right to refuse any order.

Prices

> Unanticipated changes in market demand, material cost, or manufacturing labor, make it necessary for Seametrics to reserve the right to adjust prices without notice. All prices are quoted and paid in US dollars unless otherwise agreed in writing.

Payment

> Standard Terms of Net-30 days apply to all purchases.

Quotations

> Quotations are valid for 14-days from date of quotation unless otherwise noted. Seametrics reserves the right to correct any typographical or inadvertent errors in pricing or math.

Order Changes or Cancellation

- > All Purchase Orders and change orders must be made in writing to Seametrics.
- > Changes made after a manufacturing Work Order is generated may be subject to administrative fees.
- > RUSH Orders are subject to cancellation charge of up to 50% of order value.
- > Special Orders for non-standard items not normally stocked or sold by Seametrics are non-cancelable, non-returnable, non-deferrable.

Shipping

- > Method of shipping should be defined by customer on each Purchase Order. If not defined, shipping method is subject to the judgment of Seametrics.
- > Legal custody of product transfers to the purchaser when physical custody of shipment transfers to shipper. Purchaser is responsible for pursuit of all claims for damaged or missing shipments with shipper.
- > Drop shipments are subject to handling charge, as noted under SERVICES on page 16.
- > All shipments are FOB Seametrics, unless otherwise agreed in writing.

Return Material Authorization (RMA)

> Product returned to Seametrics without following written processes may be subject to administrative fees.

Return Material

- > Materials returned to Seametrics for credit are subject to a minimum charge as defined in the US Price List. Product must be unused in unopened, original packaging.
- > Contested shipments must be reported within 45-days of date of purchase from Seametrics.

Lead Times

> Ship times for standard products are 7-10 business days from Seametrics written confirmation of original Purchase Order or change order. Expedited shipments are covered under separate RUSH policy.

Warranty

> See Seametrics Warranty information under separate cover.

TABLE OF CONTENTS

ELECTRONICS: DISPLAYS & CONTROLS	PAGE 2-3
FT-Series: Rate & Total Indicators	PD10: Pulse Divider
DL76: Data Logger	PS40: Pulse Splitter
AO55: Analog Transmitter (4 to 20 mA)	PC-Series: Power Converters
PT35: Counter Timer	RSP5: Solar Panel
FLOWMETERS & FITTINGS	
Insertion Magmeters	PAGE 4-5
EX80-Series: Fixed Depth	
Fittings – EX80-Series	
EX101/201: Adjustable Depth	
EX115/215: Hot-Tap Adjustable Depth	
Insertion Turbine Meters	PAGE 6-7
TX80-Series: Fixed Depth	
Fittings – TX80-Series	
TX101/201: Adjustable Depth	
TX115/215: Hot-Tap Adjustable Depth	
Insertion Paddlewheel Meters	PAGE 8
IP80-Series: Fixed Depth	
Fittings – IP80-Series	
IP101/201: Adjustable Depth	
IP115/215: Hot-Tap Adjustable Depth	
Standard Saddle Fittings	PAGE 10
In-Line Magmeters	PAGE 11
WMX: Flanged In-Line Magmeter	
Plastic-Bodied Magmeters	PAGE 12
WMP: Plastic-Bodied Magmeter	
In-Line Turbine Meters	PAGE 13-14
WTC: Carbon Steel Turbine Meter	
WTP: PVC Turbine Meter	
WTS: Stainless Steel Turbine Meter	
Pulse Meters	PAGE 14
MJ-Series: Bronze Body Pulse Meters	
WJ: Cast Iron Turbine Meter	
Low Flow Meters	PAGE 15
S-Series: Single-Jet Low Flow Meters	
PE-Series: Electromagnetic Low Flow Meters	
PARTS & ACCESSORIES	
Electronics: Displays & Controls.....	PAGE 16
Cables & Connectors.....	PAGE 17
Accessories & Tools.....	PAGE 18
Services.....	PAGE 18
Insertion Magmeters.....	PAGE 19
Insertion Turbine Meters.....	PAGE 20-22
Insertion Paddlewheel Meters.....	PAGE 23-24
In-Line Turbine Meters.....	PAGE 25-26
In-Line Magmeters.....	PAGE 26-27
Plastic-Bodied Magmeters.....	PAGE 26
Low Flow Meters.....	PAGE 27
Pulse Meters.....	PAGE 28-30
Parts Index.....	PAGE 31-33

Prices are subject to change without notice.

**ELECTRONICS
DISPLAYS & CONTROLS**

FT-SERIES: RATE & TOTAL INDICATORS

Model #	Description	Housing	Price
FT415M	Battery Powered Pulse Output	Meter Mount	\$476
FT415W	Battery Powered Pulse Output	Wall Mount	\$476

FT415 Options	Description	Price
-32	Tamper-Evident Kit, Wire, Seal	\$21
-64	Non-Resettable Total	\$27
-126	Hinged Display Cover	\$53

Note: Use of Hinged Display Cover is recommended for all outdoor applications.

Note: When ordering a replacement or spare meter mounted unit(s) order a replacement module see page 16.

Model #	Description	Housing	Price
FT420M	12-24 Vdc, Pulse & 4-20 mA outputs	Meter Mount	\$470
FT420W	12-24 Vdc, Pulse & 4-20 mA outputs	Wall Mount	\$470
FT420P	12-24 Vdc, Pulse & 4-20 mA outputs	Panel Mount	\$470

FT420 Options	Description	Price
-27	110 Vac Dual Power Supply, Hard Wired (FT420W & EX Only)	\$200
-32	Tamper-Evident Kit, Wire, Seal	\$21
-64	Non-Resettable Total	\$27
-65	110 Vac Single Power Supply Hard Wired (FT420W Only)	\$73
-98	Dual Relay Output	\$53
-126	Hinged Display Cover	\$53

Note: Use of Hinged Display Cover is recommended for all outdoor applications.

Note: When ordering a replacement or spare meter mounted unit(s) order a replacement module see page 16.

Model #	Description	Housing	Price
FT520	AC/DC Power, Rate/Total/Batch Regeneration	Wall/Panel	\$690

FT520 Options	Description	Price
-84	Regeneration Control	NC
-86	Alarm Relay Output	NC
-121	220 Vac Input	\$139

Note: FT520 cannot be meter mounted.

Model #	Description	Housing	Price
FT522	Usage Monitor	Wall/Panel	\$690

FT520 Options	Description	Price
-121	220 Vac Input	\$139

Note: FT522 cannot be meter mounted.

DL76: DATA LOGGER

Model #	Description	Housing	Price
DL76M	Data Logger	IP/TX Mount	\$355
DL76ME	Data Logger	EX Mount	\$355
DL76W	Data Logger	Wall Mount	\$355
DC3	Data Logger Cable, Serial (for laptop)		\$48
DT10	Data Transporter		\$500
FI-SW	FlowInspector Version 2 Software (Required to Order if Needed)		NC

DL76 Options	Description	Price
-32	Tamper-Evident Kit, Wire, Seal	\$21

Note: When ordering replacement or spare meter mounted unit(s), order a replacement module see page 16.

**ELECTRONICS
DISPLAYS & CONTROLS**

AO55: ANALOG TRANSMITTER (4 to 20 mA)

Model #	Description	Housing	Price	
AO55M	Blind 4-20 mA Converter	Meter Mount	\$370	
AO55W	Blind 4-20 mA Converter	Wall Mount	\$370	
A055 Options		Description	Price	
		-06	LMI Pump 4-Pin Connector	\$30
		-106	RoyTronics® Series-A 5-Pin Connector	\$30

Note: When ordering a replacement or spare meter mounted unit(s) order a replacement module see page 16.

PT35: COUNTER TIMER

Model #	Description	Price
PT35	Dual Counter/Timer, Feed & Bleed	\$335
PT35S	Dual Counter/Timer, Feed & Bleed, Solid State Output	\$387

PD10: PULSE DIVIDER

Model #	Description	Housing	Price	
PD10M	Pulse Divider (order cable & connector separately)	Meter Mount	\$133	
PD10W	Pulse Divider (includes 4-pin LMI pump connector)	Wall Mount	\$163	
PD10 Options		Description	Price	
		-06	LMI Pump 4-Pin Connector	\$30
		-37	10 Ft. Cable for LMI Connector	\$12
		-106	RoyTronics® Series-A 5-Pin Connector	\$30

Note: When ordering replacement or spare meter mounted unit(s) order a replacement module see page 16.

Note: If ordering a PD10W, the 5-pin connector is substituted for the 4-pin connector. The \$30 option price is not added.

PS40: PULSE SPLITTER

Model #	Description	Housing	Price
PS40	Single Input, 4 Outputs	Wall Mount	\$102

PC-SERIES: POWER CONVERTERS

Model #	Description	Housing	Price
PC2	Power Converter, 110-115 Vac, 24 Vdc, regulated	Panel	\$87
PC3	Power Converter, 110-115 Vac, 24 Vdc, unregulated	Outlet	\$76
PC42	Dual Power Supply, 110-115 Vac, 12-24 Vdc, regulated (for use with EX & AG Meters)	Wall or Panel	\$173

RSP5: SOLAR PANEL

Model #	Description	Price
RSP5	Solar Panel Kit, 5 watt	\$435

FLOWMETERS & FITTINGS INSERTION MAGMETERS

EX80-SERIES: FIXED DEPTH INSERTION MAGMETER

Model #	Description	Size	Price
EX81B	Brass	1" to 3"	\$663
EX81S	316 Stainless Steel	1" to 3"	\$760
EX81P	PVC	1" to 3"	\$581
EX82B	Brass	4" to 10"	\$691
EX82S	316 Stainless Steel	4" to 10"	\$831
EX82P	PVC	4" to 10"	\$601
EX83B	Brass	12"	\$757
EX83S	316 Stainless Steel	12"	\$910
EX83P	PVC	12"	\$660

EX80 Options	Description	Price
-15	Reverse Flow Output	\$149
-40	Immersible (Consult factory to verify application)	\$90
-50	Low Power Option	NC
-125	Viton® O-Ring	\$16

Model #	Description	Size/Price				
EX80: TEE FITTINGS		EX81 Only				
		-100	-150	-200	-300	-400
EF81T-B	Bronze/Female Thread	\$224	\$259	\$279	\$344	\$476
EF81TC-B	Bronze/Female Sweat (for copper tubing)	\$224	\$259	\$279	\$344	\$476
EF81T-P	PVC/Male Stub End	\$124	\$128	\$135	Not Available	
EF81T-C	Carbon Steel/Female Thread	\$179	\$220	\$261		
EF81T-S	304 SS/Female Thread	\$357	\$367	\$377		
Option 14	All 316 Stainless Steel	\$618	\$638	\$663		

Model #	Description	Size/Price					
EX80: SADDLE FITTINGS		EX81	EX82				EX83
		-300	-400	-600	-800	-1000	-1200
EF82S-F	Ductile Iron	\$272	\$206	\$261	\$295	\$367	\$455
EF82S-P	PVC (See Note ²)	\$115	\$131	\$151	\$179	Not Available	
EF82S-B	Bronze	\$274	\$316				
Option 16	Installed on 16" Long Pipe Stub (PVC only)	\$69	\$74	\$79	\$84		

Note¹: EF82S-P, PVC Saddles ordered with -16 option will be calibrated for K-Factor before shipping.

Note²: PVC saddles supplied with Buna-N O-rings only. For chemical service, O-ring must be removed and saddle glued to pipe with PVC cement. See Instructions.

Model #	Description	Size/Price					
EX80: WELD/BRAZE FITTINGS		EX81	EX82				EX83
		-300	-400	-600	-800	-1000	-1200
EF82W-B	Bronze	\$140	\$140	\$140	\$140	\$140	\$140
EF82W-C	Carbon Steel	\$118	\$118	\$118	\$118	\$118	\$118
EF82W-S	316 Stainless Steel	\$206	\$206	\$206	\$206	\$206	\$206

**FLOWMETERS & FITTINGS
INSERTION MAGMETERS**

EX101/201: ADJUSTABLE DEPTH INSERTION MAGMETER

Model #	Description	Size	Price
EX101B	Brass	3" to 10"	\$1,050
EX101S	316 Stainless Steel	3" to 10"	\$1,268
EX201B	Brass	10" to 48"	\$1,224
EX201S	316 Stainless Steel	10" to 48"	\$1,381

EX101/201 Options	Description	Price
-02	Brass Adapter Fitting, 2" Threads	\$49
	Stainless Adapter Fitting, 2" Threads	\$66
-15	Reverse Flow Output	\$149
-23	Adapter, 1-1/2" British Standard Pipe Thread Tapered, Brass (2 piece)	\$33
-24	Adapter, 1-1/2" British Standard Pipe Thread Tapered, Stainless (2 piece)	\$47
-35	Old Style (2 piece) Adapter	\$103
-40	Immersible (Consult factory to verify application)	\$151
-50	Low Power Option	NC
-72	12" Extension for 200-Series	\$302

EX101/201: SADDLE FITTINGS

Many	Standard Saddle Fittings	See Table on Page 10
------	--------------------------	----------------------

EX115/215: HOT-TAP ADJUSTABLE DEPTH INSERTION MAGMETER

Model #	Description	Size	Price
EX115B	Brass Unit/ Bronze Ball Valve	3" to 10"	\$1,280
EX115S	316 SS Unit/Bronze Ball Valve	3" to 10"	\$1,459
EX215B	Brass Unit/ Bronze Ball Valve	10" to 48"	\$1,532
EX215S	316 SS Unit/Bronze Ball Valve	10" to 48"	\$1,726

EX115/215 Options	Description	Price
-08	316 Stainless Valve Assembly	\$597
-09	No Valve Assembly (deduct price)	(\$78)
-15	Reverse Flow Output	\$149
-40	Immersible (Consult factory to verify application)	\$151
-50	Low Power Option	NC
-72	12" Extension for 200-Series	\$302

EX115/215: SADDLE FITTINGS

Many	Standard Saddle Fittings	See Table on Page 10
------	--------------------------	----------------------

**FLOWMETERS & FITTINGS
INSERTION TURBINE METERS**

TX80-SERIES: FIXED DEPTH INSERTION TURBINE METER

Model #	Description	Size	Price
TX81B	Brass	1-1/2" to 3"	\$577
TX81S	316 Stainless Steel	1-1/2" to 3"	\$672
TX81P	PVC	1-1/2" to 3"	\$447
TX82B	Brass	4" to 8"	\$592
TX82S	316 Stainless Steel	4" to 8"	\$708
TX82P	PVC	4" to 8"	\$496

TX80 Options	Description	Price
-04	Micropower Pickup (For use w/FT415/416 & DL76 only)	NC
-06	LMI Pump Connector, 4-pin	\$30
-07	Seametrics Control Connector	\$30
-40	Immersible (Consult factory to verify application)	\$90
-60	Viton® O-Ring	\$16
-106	Roytronics® Series-A Pump Connector, 5-pin	\$30
-HP	High Pressure Option (Stainless Series Only)	\$75

Note: If the -HP option is ordered with the stainless meter, it must also be ordered with a carbon or stainless fitting. HP units are not interchangeable with standard units.

Model #	Description	TX81 Only			
TX80: TEE FITTINGS		-150	-200	-300	-400
TF81TC-B	Bronze/Female Sweat (for copper tubing)	\$259	\$279	\$344	\$476
TF81T-B	Bronze/Female Thread	\$259	\$279	\$344	\$476
TF81T-P	PVC/Male Stub End	\$128	\$135	Not Available	
TF81T-C	Carbon Steel/Female Thread	\$220	\$261		
TF81T-S	304 SS/Female Thread	\$357	\$367		
Option 14	All 316 Stainless Steel	\$638	\$663		
-HP	High Pressure Option for SS or CS Tees Only	\$115	\$115		

Model #	Description	Size/Price			
TX80: SADDLE FITTINGS		TX81	TX82		
		-300	-400	-600	-800
MF82S-F	Ductile Iron	\$272	\$206	\$261	\$295
MF82S-P	PVC (See Note ²)	\$115	\$131	\$151	\$179
MF82S-B	Bronze	\$274	\$315	Not Available	
Option 16	Installed on 16" Long Pipe Stub (PVC only)	\$69	\$74	\$79	\$84

Note¹: MF82S-P, PVC Saddles ordered with -16 option will be calibrated for K-Factor before shipping.

Note²: PVC saddles supplied with Buna-N O-rings only. For chemical service, O-ring must be removed and saddle glued to pipe with PVC cement. See Instructions.

Model #	Description	Size/Price			
TX80: WELD/BRAZE FITTINGS		TX81	TX82		
		-300	-400	-600	-800
MF82W-B	Bronze	\$140	\$140	\$140	\$140
MF82W-C	Carbon Steel	\$118	\$118	\$118	\$118
MF82W-S	316 Stainless Steel	\$206	\$206	\$206	\$206
-HP	High Pressure Option for SS or CS Fittings Only	\$115	\$115	\$115	\$115

**FLOWMETERS & FITTINGS
INSERTION TURBINE METERS**

TX101/201: ADJUSTABLE DEPTH INSERTION TURBINE METER

Model #	Description	Size	Price
TX101B	Brass	3" to 12"	\$775
TX101S	316 Stainless Steel	3" to 12"	\$978
TX201B	Brass	12" to 40"	\$885
TX201S	316 Stainless Steel	12" to 40"	\$1,033

TX101/201 Options	Description	Price
-02	Brass Adapter Fitting, 2" Threads	\$49
	Stainless Adapter Fitting, 2" Threads	\$66
-03	Bi-Directional	\$213
-04	Micropower Pickup (For use w/FT415/416 & DL76 only)	NC
-06	LMI Pump Connector, 4-pin	\$30
-07	Seametrics Control Connector	\$30
-23	Adapter, 1-1/2" British Standard Pipe Thread Tapered, Brass (2 piece)	\$33
-24	Adapter, 1-1/2" British Standard Pipe Thread Tapered, Stainless (2 piece)	\$47
-40	Immersible (Consult factory to verify application)	\$151
-72	12" Extension for 200-Series	\$302
-106	Roytronics® Series-A Pump Connector, 5-pin	\$30

TX101/201: SADDLE FITTINGS

Many	Standard Saddle Fittings	See Table on Page 7
------	--------------------------	---------------------

TX115/215: HOT-TAP ADJUSTABLE DEPTH INSERTION TURBINE METER

Model #	Description	Size	Price
TX115B	Brass Unit/Bronze Ball Valve	3" to 12"	\$1,132
TX115S	316 SS Unit/Bronze Ball Valve	3" to 12"	\$1,309
TX215B	Brass Unit/Bronze Ball Valve	12" to 40"	\$1,221
TX215S	316 SS Unit/Bronze Ball Valve	12" to 40"	\$1,403

TX115/215 Options	Description	Price
-03	Bi-Directional	\$213
-04	Micropower Pickup (For use w/FT415/416 & DL76 only)	NC
-06	LMI Pump Connector, 4-pin	\$30
-07	Seametrics Control Connector	\$30
-08	316 Stainless Valve Assembly	\$597
-09	No Valve Assembly (deduct price)	(\$78)
-40	Immersible (Consult factory to verify application)	\$151
-72	12" Extension for 200-Series	\$302
-106	Roytronics® Series-A Pump Connector, 5-pin	\$30

TX115/215: SADDLE FITTINGS

Many	Standard Saddle Fittings	See Table on Page 10
------	--------------------------	----------------------

**FLOWMETERS & FITTINGS
INSERTION PADDLEWHEEL METERS**

IP80-SERIES: FIXED DEPTH INSERTION PADDLEWHEEL METER

Model #	Description	Size	Price
IP81B	Brass	1/2" to 3"	\$372
IP81S	316 Stainless Steel	1/2" to 3"	\$500
IP81P	PVC	1/2" to 3"	\$303
IP81Y	Polypro	1/2" to 3"	\$314
IP82B	Brass	4" to 8"	\$398
IP82S	316 Stainless Steel	4" to 8"	\$518
IP82P	PVC	4" to 8"	\$320
IP82Y	Polypro	4" to 8"	\$333

IP80 Options	Description	Price
-01	Rotor/Ceramic Shaft, PVDF (Kynar®)	\$69
-04	Micropower Pickup (For use w/FT415/416 & DL76 only)	NC
-06	LMI Pump Connector, 4-pin	\$30
-07	Seametrics Control Connector	\$30
-40	Immersible (Consult factory to verify application)	\$90
-60	Viton® O-Ring	\$16
-106	Roytronics® Series-A Pump Connector, 5-pin	\$30
-HP	High Pressure Option (Stainless Series Only)	\$75

Note: If the -HP option is ordered with the SS meter, it must also be ordered with a CS or SS fitting. HP units are not interchangeable with standard units.

Model #	Description	Size/Price						
IP80: TEE FITTINGS		IP81 Only						
		-050	-075	-100	-150	-200	-300	-400
MF81TC-B	Bronze/Female Sweat (for copper tubing)	\$224	\$234	\$244	\$259	\$279	\$344	\$476
MF81T-B	Bronze/Female Thread	\$224	\$234	\$244	\$259	\$279	\$344	\$476
MF81T-P	PVC/Male Stub End	\$104	\$114	\$124	\$128	\$135	Not Available	
MF81T-C	Carbon Steel/Female Thread	\$151	\$151	\$179	\$220	\$261		
MF81T-S	304 SS/Female Thread	\$316	\$316	\$357	\$367	\$377		
Option 14	All 316 Stainless Steel	\$552	\$562	\$618	\$638	\$663		
-HP	High Pressure Option (SS or CS Only)	\$115	\$115	\$115	\$115	\$115		

Model #	Description	Size/Price			
IP80: SADDLE FITTINGS		IP81	IP82		
		-300	-400	-600	-800
MF82S-F	Ductile Iron	\$272	\$206	\$261	\$295
MF82S-P	PVC (See Note ²)	\$115	\$131	\$151	\$179
MF82S-B	Bronze	\$274	\$315	Not Available	
Option 16	Installed on 16" Long Pipe Stub (PVC only)	\$69	\$74	\$79	\$84

Note¹: MF82S-P, PVC Saddles ordered with -16 option will be calibrated for K-Factor before shipping.

Note²: PVC saddles supplied with Buna-N O-rings only. For chemical service,

O-ring must be removed and saddle glued to pipe with PVC cement. See Instructions.

Model #	Description	Size/Price			
IP80: WELD/BRAZE FITTINGS		IP81	IP82		
		-300	-400	-600	-800
MF82W-B	Bronze	\$140	\$140	\$140	\$140
MF82W-C	Carbon Steel	\$118	\$118	\$118	\$118
MF82W-S	316 Stainless Steel	\$206	\$206	\$206	\$206
-HP	High Pressure Option (SS or CS Only)	\$115	\$115	\$115	\$115

**FLOWMETERS & FITTINGS
INSERTION PADDLEWHEEL METERS**

IP101/201: ADJUSTABLE DEPTH INSERTION PADDLEWHEEL METER

Model #	Description	Size	Price
IP101B	Brass	3" to 12"	\$498
IP101P	PVC	3" to 12"	\$403
IP101S	316 Stainless Steel	3" to 12"	\$625
IP201B	Brass	12" to 40"	\$585
IP201P	PVC	12" to 40"	\$463
IP201S	316 Stainless Steel	12" to 40"	\$658

IP101/201 Options	Description	Price
-01	Rotor/Ceramic Shaft, PVDF (Kynar®)	\$69
-02	Brass Adapter Fitting, 2" Threads	\$49
	Stainless Adapter Fitting, 2" Threads	\$66
-03	Bi-Directional	\$213
-04	Micropower Pickup (For use w/FT415 & DL76 only)	NC
-06	LMI Pump Connector, 4-pin	\$30
-07	Seametrics Control Connector	\$30
-23	Adapter, 1-1/2" British Standard Pipe Thread Tapered, Brass (2 piece)	\$33
-24	Adapter, 1-1/2" British Standard Pipe Thread Tapered, Stainless (2 piece)	\$47
-35	Old Style (2 piece) Adapter	\$103
-40	Immersible (consult factory to verify application)	\$151
-72	12" Extension for 200-Series (Brass & SS Only)	\$302
-106	Roytronics® Series-A Pump Connector, 5-pin	\$30

IP101/201: SADDLE FITTINGS		
Many	Standard Saddle Fittings	See Table on Page 10

IP115/215: HOT-TAP ADJUSTABLE DEPTH INSERTION PADDLEWHEEL METER

Model #	Description	Size	Price
IP115B	Brass Unit/Bronze Ball Valve	3" to 12"	\$805
IP115P	PVC Unit/PVC Gate Valve	3" to 12"	\$748
IP115S	316 SS Unit/Bronze Ball Valve	3" to 12"	\$935
IP215B	Brass Unit/Bronze Ball Valve	12" to 40"	\$856
IP215P	PVC Unit/PVC Gate Valve	12" to 40"	\$823
IP215S	316 SS Unit/Bronze Ball Valve	12" to 40"	\$965

IP115/215 Options	Description	Price
-01	Rotor/Ceramic Shaft, PVDF (Kynar®)	\$69
-03	Bi-Directional	\$213
-04	Micropower Pickup (For use w/FT415 & DL76 only)	NC
-06	LMI Pump Connector, 4-pin	\$30
-07	Seametrics Control Connector	\$30
-08	316 Stainless Valve Assembly	\$597
-09	No Valve Assembly (deduct price)	(\$78)
-40	Immersible (consult factory to verify application)	\$151
-72	12" Extension for 200-Series (Brass & SS Only)	\$302
-106	Roytronics® Series-A Pump Connector, 5-pin	\$30

IP115/215: SADDLE FITTINGS		
Many	Standard Saddle Fittings	See Table on Page 10

**FLOWMETERS & FITTINGS
STANDARD SADDLE FITTINGS**

FOR 101/201 METERS (IP, TX, EX)

Model #	Description	Pipe Size	Price
MF101F-300-150	Iron saddle fitting, 1-1/2 inch thread	3"	\$153
MF101F-400-150	Iron saddle fitting, 1-1/2 inch thread	4"	\$164
MF101F-600-150	Iron saddle fitting, 1-1/2 inch thread	6"	\$210
MF101F-800-150	Iron saddle fitting, 1-1/2 inch thread	8"	\$210
MF101F-1000-150	Iron saddle fitting, 1-1/2 inch thread	10"	\$280
MF101F-1200-150	Iron saddle fitting, 1-1/2 inch thread	12"	\$350
MF101F-1400-150	Iron saddle fitting, 1-1/2 inch thread	14"	\$401
MF101F-1600-150	Iron saddle fitting, 1-1/2 inch thread	16"	\$445
MF101F-1800-150	Iron saddle fitting, 1-1/2 inch thread	18"	\$636
MF101F-2000-150	Iron saddle fitting, 1-1/2 inch thread	20"	\$661
MF101F-2400-150	Iron saddle fitting, 1-1/2 inch thread	24"	\$699
MF101B-300-150	Brass saddle fitting, 1-1/2 inch thread	3"	\$274
MF101B-400-150	Brass saddle fitting, 1-1/2 inch thread	4"	\$318

FOR 115/215 METERS (IP, TX, EX)

Model #	Description	Pipe Size	Price
MF101F-300-200	Iron saddle fitting, 2 inch thread	3"	\$153
MF101F-400-200	Iron saddle fitting, 2 inch thread	4"	\$164
MF101F-600-200	Iron saddle fitting, 2 inch thread	6"	\$210
MF101F-800-200	Iron saddle fitting, 2 inch thread	8"	\$210
MF101F-1000-200	Iron saddle fitting, 2 inch thread	10"	\$280
MF101F-1200-200	Iron saddle fitting, 2 inch thread	12"	\$350
MF101F-1400-200	Iron saddle fitting, 2 inch thread	14"	\$401
MF101F-1600-200	Iron saddle fitting, 2 inch thread	16"	\$445
MF101F-1800-200	Iron saddle fitting, 2 inch thread	18"	\$636
MF101F-2000-200	Iron saddle fitting, 2 inch thread	20"	\$661
MF101F-2400-200	Iron saddle fitting, 2 inch thread	24"	\$699
MF101B-300-200	Brass saddle fitting, 2 inch thread	3"	\$274
MF101B-400-200	Brass saddle fitting, 2 inch thread	4"	\$318

FLOWMETERS & FITTINGS
IN-LINE MAGMETERS, PLASTIC-BODIED MAGMETERS

WMX: FLANGED IN-LINE MAGMETER

Model #	Description	Size/Price			
		-400	-600	-800	-1000
WMX101	Flanged In-Line Magmeter, DC-Powered	\$1,687	\$1,824	\$2,035	\$2,357
WMX104	Flanged In-Line Magmeter, Battery-Powered	\$1,584	\$1,721	\$1,932	\$2,254

WMX Options	Description	Price
-11/15	Factory-Installed Power/Output Cable, 15m (50 ft)	\$140
-11/30	Factory-Installed Power/Output Cable, 30m (100 ft)	\$240
-11/45	Factory-Installed Power/Output Cable, 45m (150 ft)	\$355
-11/60	Factory-Installed Power/Output Cable, 60m (200 ft)	\$470
-127	Internal Data Logger	\$175

WMX Accessories	Description	Price
DC30	External Power/Output Cable, 6m (20 ft) Note ¹	\$103
DC35	External Power/Output Cable, 15m (50 ft) Note ¹	\$140
DC100	External Power/Output Cable, 30m (100 ft) Note ¹	\$240
DC150	External Power/Output Cable, 45m (150 ft) Note ¹	\$355
DC200	External Power/Output Cable, 60m (200 ft) Note ¹	\$470
31090	Grounding Ring, 4" (2 required) Note ²	\$127 ea
31091	Grounding Ring, 6" (2 required) Note ²	\$160 ea
31092	Grounding Ring, 8" (2 required) Note ²	\$190 ea
31093	Grounding Ring, 10" (2 required) Note ²	\$242 ea

Note¹: Cables are for field installation on the WMX104

Note²: Grounding rings not required for most applications.

Specify desired rate and total at time of order. See below for available units.

Any rate selection can be combined with any total selection.

If ordering the WMX101, a pulse rate must be specified as well.

WMX FLOW MEASUREMENT UNITS					
RATE	ORDER	TOTAL	ORDER	PULSE RATE	ORDER
Gal/Min	= GPM	Gal	= G	High Frequency	= -HF
Liter/Min	= LPM	Gal x 1000	= GT	10 Units/Pulse	= -PxX
Liters/Sec	= LPS	Liter	= L	100 Units/Pulse	= -PxH
Cu Ft/Min	= CFM	Liter x 1000	= LT	1000 Units/Pulse	= -PxK
Cu Meter/Hr	= CMH	Mega Liters	= ML		
Mil Gal/Day	= MGD	Cubic Meters	= CM		
Meg Lit/Day	= MLD	Cu Met x 1000	= CMT	(Units = Gal or Liter based on	
		Cubic Feet	= CF	Rate/Total unit selection)	
		Cu Feet x 1000	= CFT		
				Ordering Example WMX101:	
				WMX101-400-GPM/CFT-PxX	
				Ordering Example WMX104:	
				WMX104-400-GPM/CFT	

FLOWMETERS & FITTINGS
IN-LINE MAGMETERS, PLASTIC-BODIED MAGMETERS

WMP-SERIES: PLASTIC-BODIED MAGMETER

Model #	Description	Price
WMP101-100	In-Line Magmeter, DC-Powered (Includes 32482 Cable)	\$785
WMP104-100	In-Line Magmeter, Battery-Powered (1 year, see Specifications)	\$695
WMP101-200	In-Line Magmeter, DC-Powered (Includes 32482 Power/Output Cable and 31980 2" NPT Fitting Kit)	\$850
WMP104-200	In-Line Magmeter, Battery-Powered (1 year, see Specifications) (Includes 31980 2" NPT Fitting Kit)	\$760
WMP101-300	In-Line Magmeter, DC-Powered (Includes 32482 Power/Output Cable and 31980 3" NPT Fitting Kit)	\$1025
WMP104-300	In-Line Magmeter, Battery-Powered (1 year, see Specifications) (Includes 31980 3" NPT Fitting Kit)	\$905

WMP Options	Description	Price
-32	Tamper-Evident Kit, Wire, Seal	\$21
-96	No Fitting Kit 2" (Deduct Amount)	-\$45
-96	No Fitting Kit 3" (Deduct Amount)	-\$75
-133	Extended Battery Life (WMP104 Only, See Specifications for Details)	\$78

Specify desired rate and total at time of order. See below for available units.

Any rate selection can be combined with any total selection.

If ordering the WMP101, a pulse rate must be specified at time of order.

Pulse rates are not available on the WMP104

WMP FLOW MEASUREMENT UNITS					
RATE	ORDER	TOTAL	ORDER	PULSE RATE	ORDER
Gal/Min	= GPM	Gal	= G	High Frequency	= -HF
Liter/Min	= LPM	Gal x 1000	= GT	1 Units/Pulse	= -PxU
Liters/Sec	= LPS	Liter	= L		
Cu Ft/Sec	= CFS	Mega Liters	= ML		
Cu Ft/Min	= CFM	Cubic Meters	= CM		
Cu Meter/Min	= CMM	Cu Met x 1000	= CMT		
Cu Meter/Hr	= CMH	Cubic Feet	= CF		
Mil Gal/Day	= MGD			(Units = Gal or Liter based on Rate/Total unit selection)	
Meg Lit/Day	= MLD				

Ordering Example WMP101:
WMP101-200-GPM/G-HF

Ordering Example WMP104:
WMP104-200-GPM/G

FLOWMETERS & FITTINGS IN-LINE TURBINE METERS

WTC: CARBON STEEL IN-LINE TURBINE METER

Model #	Description	Size/Price				
		-200	-300	-400	-600	-800*
WTC100	Sensor Output Only	\$840	\$1054	\$1,284	\$2,004	\$2,609
WTC101	FT420 (Rate/Total/Pulse/4-20 mA)	\$1,305	\$1,519	\$1,749	\$2,469	\$3,074
WTC102	AO55 (Blind 4-20 mA)	\$1,205	\$1,419	\$1,649	\$2,369	\$2,974
WTC104	FT415 (Battery, Rate/Total/Pulse)	\$1,311	\$1,525	\$1,755	\$2,475	\$3,080

***NOTE:** Item shipped by truck only. Additional freight charge applies.

WTC Options	Description	Price
-04	Micropower Pickup (When ordering an FT415W or DL76W on the WTC100 model)	NC
-34	Flanged Ends (2" Units)	\$143
-64	Non-resettable Total (WTC101/104 Only)	\$27
-98	Dual Relay Output (WTC101 Only)	\$53
-119	Shaft, WT, 3"- 8" Carbide (Standard on the -200 size)	\$227
-126	Hinged Display Cover (WTC101/104 Only)	\$53

NOTE: Use of Hinged Display Cover is recommended for all outdoor applications.

WTP: PVC IN-LINE TURBINE METER

Model #	Description	Size/Price			
		-200	-300	-400	-600
WTP100	Sensor Output Only	\$727	\$870	\$1,022	\$1,316
WTP101	FT420 (Rate/Total/Pulse/4-20 mA)	\$1,192	\$1,335	\$1,487	\$1,781
WTP102	AO55 (Blind 4-20 mA)	\$1,092	\$1,235	\$1,387	\$1,681
WTP104	FT415 (Battery, Rate/Total/Pulse)	\$1,198	\$1,341	\$1,493	\$1,787

WTP Options	Description	Size/Price			
-04	Micropower Pickup (When ordering an FT415W or DL76W on the WTP100 model)	NC			
-64	Non-resettable Total (WTP101/104 Only)	\$27			
-98	Dual Relay Output (WTP101 Only)	\$53			
-119	Shaft, WT, 3"- 8" Carbide (Standard on the -200 size)	\$227			
-126	Hinged Display Cover (WTP101/104 Only)	\$53			
		-200	-300	-400	-600
-18	Flanged Ends	\$90	\$124	\$158	\$234

NOTE: Use of Hinged Display Cover is recommended for all outdoor applications.

**FLOWMETERS & FITTINGS
PULSE METERS,
IN-LINE TURBINE METERS**

WTS: STAINLESS STEEL IN-LINE TURBINE METER

Model #	Description	Size/Price				
		-200	-300	-400	-600	-800*
WTS100	Sensor Output Only	\$1,320	\$1,794	\$2,129	\$2,898	\$3,442
WTS101	FT420 (Rate/Total/Pulse/4-20 mA)	\$1,785	\$2,259	\$2,594	\$3,363	\$3,907
WTS102	AO55 (Blind 4-20 mA)	\$1,685	\$2,159	\$2,494	\$3,263	\$3,807
WTS104	FT415 (Battery, Rate/Total/Pulse)	\$1,791	\$2,265	\$2,600	\$3,369	\$3,913

*NOTE: Item shipped by truck only. Additional freight charge applies.

WTS Options	Description	Price				
-04	Micropower Pickup (When ordering an FT415W or DL76W on the WTS100 model)	NC				
-14	All 316 Stainless Steel	-200	-300	-400	-600	-800
		\$628	\$854	\$1,014	\$1,380	\$1,639
-20	Flanged Ends (2" Units)	\$318				
-64	Non-resettable Total (WTS101/104 Only)	\$27				
-98	Dual Relay Output (WTS101 Only)	\$53				
-119	Shaft, WT, 3"- 8" Carbide (Standard on the -200 size)	\$227				
-126	Hinged Display Cover (WTS101/104 Only)	\$53				

NOTE: Use of Hinged Display Cover is recommended for all outdoor applications.

MJ-SERIES: BRONZE BODY PULSE METERS

Model #	Description	Size/Price*			
		-075	-100	-150	-200
MJE	Cold Water, Solid-state Pickup	\$174	\$243	\$446	\$560
MJR	Cold Water, Reed Switch (Dry Contact)	\$174	\$243	\$446	\$560
MJT	Cold Water, Mechanical Register Only	\$111	\$180	\$380	\$494
MJHE	Hot Water, Solid-state Pickup	\$239	\$334	\$687	\$863
MJHR	Hot Water, Reed Switch (Dry Contact)	\$239	\$334	\$687	\$863
MJHT	Hot Water, Mechanical Register Only	\$153	\$248	\$585	\$762

*NOTE: Prices reflect standard pulse rates expressed in gallons. There is an additional cost of \$40 if you need your indication in cubic feet.

MJ Options	Description	Price
-06	LMI Pump 4-Pin Connector	\$30
-07	Seametrics Control Connector	\$30
-106	RoyTronics Series-A Pump Connector, 5-pin	\$30

Available pulse rates are 20, 10, 4, 2, and 1 Pulses/Gallon, and 1, 5, 10, 50, and 100 Gallons/Pulse. Consult Spec Sheet for corresponding meter sizes. Specify pulse rate at time of order.

WJ: CAST IRON IN-LINE TURBINE METER

Model #	Description	Size/Price/Pulse Rate (Gal/Pulse)				
		-200	-300	-400	-600*	-800*
NOTE: Please specify pulse rate at time of order. Applies to Opt -17 only		100 or 1000 G/P	100 or 1000 G/P	1000 or 10,000 G/P	10 or 100 G/P	100 or 1000 G/P
WJ	Mechanical Totalizer	\$601	\$919	\$1,300	\$2,391	\$3,119

*NOTE: Item shipped by truck only. Additional freight charge applies.

WJ Options	Description	Price
-17	Pulse Output/Reed Switch	\$88

FLOWMETERS & FITTINGS LOW FLOW METERS

S-SERIES: SINGLE JET LOW FLOW METERS

Model #	Description	Size/Price			
		-038	-050	-075	-100
SEB	Nickel-Plated Brass	Not Available	\$242	\$249	Not Available
SES	316 Stainless Steel		\$685	\$685	\$685
SPT	PTFE, PTFE Cover	\$590	\$590	\$590	\$590
SPX	Polypro, Acrylic Cover	\$281	\$281	\$281	\$281

S-Series Options	Description	Price
-01	Rotor/Ceramic Shaft, PVDF (Kynar®) (SES, SPX)	\$68.25
-04	Micropower Pickup (Use w/FT415W & DL76W only) (Not for use with SEB)	NC
-06	LMI Pump 4-pin Connector	\$30
-07	Seametrics Control Connector	\$30
-12	Polypro Cover (SPX)	\$30
-13	High Resolution (SPX, SPT, SES)	\$37
-25	Viton O-ring, Teflon-coated (SPX)	\$30
-60	Viton® O-ring (SPX, SPT, SES)	\$16
-68	Silicon Carbide Shaft (SPX, SPT, SES)	\$110
-69	EPDM O-ring (SPT, SES)	NC
-106	RoyTronics® Series-A Pump 5-pin Connector	\$30

PE-SERIES: ELECTROMAGNETIC LOW FLOW METERS

Model #	Description	Size/Price	
		-038	-075
PE102	*Low Flow Magmeter, Pulse/4-20 mA (Includes 32363 Power/Output Cable)	\$752	\$752

*NOTE: Specific accessories are required. You must select two fittings and two O-rings (see Accessories table, below).

PE-075 Accessories	Description	Price
For NPT: Choose <u>either</u> PVC <u>or</u> PVDF adapters PLUS <u>either</u> EPDM <u>or</u> Viton O-rings.		
32050	NPT: Threaded adapters, PVC (2 required) 3/4" x 3/4"	\$7ea
32064	NPT: Threaded adapters, PVDF (2 required) 3/4" x 3/4"	\$45 ea
32315	NPT: Threaded adapters, PVC (2 required) 3/4" x 1/2"	\$7 ea
32314	NPT: Threaded adapters, PVDF (2 required) 3/4" x 1/2"	\$45 ea
31462	NPT: O-Ring, EPDM (2 required)	\$13 ea
32135	NPT: O-Ring, Viton (2 required)	\$16 ea
32128	3/4" Flaretek, Tubing Nut (2 required)	\$16
32129	Flaretek, Flare Tool, 3/4" Fitting	\$149

PE-038 Accessories	Description	Price
For NPT: Choose <u>either</u> PVC <u>or</u> PVDF adapters PLUS <u>either</u> EPDM <u>or</u> Viton O-rings.		
32728	NPT: Threaded adapters, PVC (2 required) 3/8" x 3/8"	\$7 ea
32729	NPT: Threaded adapters, PVDF (2 required) 3/8" x 3/8"	\$45 ea
32746	NPT: Threaded adapters, PVC (2 required) 3/8" x 1/4"	\$7 ea
32747	NPT: Threaded adapters, PVDF (2 required) 3/8" x 1/4"	\$45 ea
32741	NPT: O-Ring, EPDM (2 required)	\$13 ea
32742	NPT: O-Ring, Viton (2 required)	\$16 ea
32749	3/8" Flaretek, Tubing Nut (2 required)	\$16
32750	Flaretek, Flare Tool, 3/8" Fitting	\$149

PARTS & ACCESSORIES
ELECTRONICS: DISPLAYS & CONTROLS

ALL ELECTRONICS		
Part #	Description	Price
26521	AO55 Replacement Module	\$365
26079	Strain Relief, Small (Side), 2 Included	\$20
33000	Strain Relief, Large (Center)	\$16
26116	DL76 Battery, C-size Lithium (DL76/DL75)	\$52
32464	DL76M Replacement Module	\$350
32046	DL76ME Replacement Module (EX ONLY, includes spacer)	\$350
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20
26116	FT415 Battery, C-size Lithium	\$52
26211	FT415 Housing Gasket	\$12
26229	FT415 Housing Screw Assembly (4 required)	\$10 ea
26519	FT415 Replacement Module	\$471
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20
30221	FT420 Dual Relay Output Board	\$59
26211	FT420 Housing Gasket	\$12
26229	FT420 Housing Screw Assembly (4 required)	\$10 ea
26949	FT420 Replacement Module	\$465
30138	FT420-65 Replacement Module	\$533
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20
07640	Strain Relief, Left (For Power Cord on -65 version)	\$16
07650	Strain Relief, Right (For the Right Cable Pair with Grey Reducer on -65 version)	\$12
33000	FT520 Strain Relief	\$16
26520	PD10 Replacement Module	\$128
07640	PT35 Strain Relief	\$16

**PARTS & ACCESSORIES
CABLES & CONNECTORS**

CABLES & CONNECTORS

Part #	Description	Price
DC30	External Power/Output Cable, 6m (20 ft) (for field installation on WMX104)	\$103
DC35	External Power/Output Cable, 15m (50 ft) (for field installation on WMX104)	\$140
DC100	External Power/Output Cable, 30m (100 ft) (for field installation on WMX104)	\$240
DC150	External Power/Output Cable, 45m (150 ft) (for field installation on WMX104)	\$355
DC200	External Power/Output Cable, 60m (200 ft) (for field installation on WMX104)	\$470
07245	Connector Only, Seametrics, 3-pin, cable-end style	\$30
07235	Connector Only, Seametrics, 3-pin, bulkhead style	\$30
07250	Connector Only, LMI, 4-pin, cable end style	\$30
32896	RoyTronics® Series-A Pump Connector Only, 5-pin cable end style	\$30
31010	Cable, Shielded, 4-conductor, per foot (for EX Meters without reverse flow)	\$4/ft
30937	Cable, Shielded, 6-conductor, per foot (for EX Meters with reverse flow)	\$5/ft
07470	Cable, Unshielded, 2-conductor, per foot (MJ, WJ, AO55)	\$2/ft
26493	Cable, Unshielded, 3-conductor, per foot (Blue, Low Power) (IP, TX,WT,SPX,SPT,SES)	\$2/ft
07480	Cable, Unshielded, 3-conductor, per foot (Grey, Micropower) (IP, TX,WT,SPX,SPT,SES)	\$2ft
07490	Cable, Unshielded, 4-conductor, per foot (FT420)	\$3/ft
30430	Cable, Unshielded, 3-conductor, per foot (MJE)	\$2/ft

CABLES & CONNECTOR ASSEMBLIES

12010	Cable Assy, 12' of #07470 with #07250	\$41
07483	Cable Assy, 12' of #07480 with #07250 and resistor	\$41
26156	Cable Assy, 12' of #07470 with #07245	\$41
12050	Cable Assy, 12' of #07480 with #07245	\$41
32600	Cable Assy, 12' of #07470 with #32896	\$41
32588	Cable Assy, 12' of #07480 with #32896	\$41

NOTE: For applications using an FT420 or PD10 for which the power is NOT supplied by the pump, use P/N 32600 or 12010. If power is supplied by the pump use P/N 32588 or 07483.

For details of these cable assemblies, see part number descriptions above.

13666	Sensor Assy. MJR Single Reed Switch #31444 with #07250	\$87
13667	Sensor Assy. MJR Dual Reed Switch #31457 with #07250	\$95
13671	Sensor Assy. MJE Single Hall Effect #31612 with #07250	\$87
13668	Sensor Assy. MJR Single Reed Switch #31444 with #07245	\$87
13669	Sensor Assy. MJR Dual Reed Switch #31457 with #07245	\$95
13670	Sensor Assy. MJE Single Hall Effect #31612 with #07245	\$87
32601	Sensor Assy. MJR Single Reed Switch #31444 with #32896	\$87
32602	Sensor Assy. MJR Dual Reed Switch #31457 with #32896	\$95
32603	Sensor Assy. MJE Single Hall Effect #31612with #32896	\$87

For details of these sensor assemblies, see part number descriptions above and on page 28.

**PARTS & ACCESSORIES
ACCESSORIES & TOOLS, SERVICES**

ACCESSORIES & TOOLS

Part #	Description	Price
26108	Bearing Removal Tool (for SPX, SPT)	\$147
PC42	Dual Power Supply, Wall or Panel, 110-115 Vac, 24 Vdc (for use with EX Meters)	\$173
33164	Hinged Display Cover Kit	\$53
26117	Mandrel (tool for IP, TX, all models)	\$78
MK10	Mounting Kit, Meter Mount	\$61
MK20	Mounting Kit, Wall Mount	\$110
30717	Pin, Safety	\$34
PC2	Power Converter, Panel (110-115 Vac, 24 Vdc)	\$87
PC3	Power Converter, Outlet (110-115 Vac, 24 Vdc)	\$76
31075	Screw, Cross-drilled Security (2 Required)	\$5
31011	Security Seal, with 12 inches of wire	\$4
32367	Sensor Cable Nut Wrench (tool for IP, TX)	\$54
26118	Sensor Retaining Screw Spanner (tool for IP, TX, WT)	\$54
RSP5	Solar Panel Kit, 5 watt (for use with Magmeters)	\$435
31012	Wire, for Security Seal, per foot	\$2/ft

SERVICES

Part #	Description	NET Price
HC	Handling Charge on Drop Ship Orders Under \$1,000 NET	\$20.00
RUSH	Expedite Charge -Consult Factory	Variable
RESTOCK	Return of unused, current product, in the box, with original PO#	30%
CALIBRATION	Price varies with meter and type of calibration - Consult Factory	Variable

**PARTS & ACCESSORIES
INSERTION MAGMETERS**

EX80-SERIES

Part #	Description	Price
17801	Cap, PVC (Used as plug for tee fitting)	\$38
17802	Cap, Polypro (Used as plug for tee fitting)	\$38
17803	Cap, Stainless Steel (Used as plug for tee fitting)	\$74
17804	Cap, Brass (Used as plug for tee fitting)	\$56
30475	Housing Assembly, Upper, Blind (Gasket, Label, Screws, Washers)	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly and Washer (4 required)	\$10 ea
25081	O-Ring, EPDM	\$13
16455	O-Ring, Viton®	\$16
33000	Strain Relief	\$16
15527	U-Clip, Stainless	\$24

EX101/201

Part #	Description	Price
26029	Adapter Fitting O-Ring, EPDM (for 2 piece Old Style Adapter)	\$13
30475	Housing Assembly, Upper, Blind	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly (4 required)	\$10 ea
33000	Strain Relief	\$16

EX115/215

Part #	Description	Price
26029	Adapter Fitting O-Ring, EPDM (for 2 piece Old Style Adapter)	\$13
14225	Ball Valve Assembly, Hot-Tap, Brass	\$231
15225	Ball Valve Assembly, Hot-Tap, Stainless Steel Valve	\$693
14195	Cap, Brass (Used to cap off valve assembly)	\$47
14196	Cap, Stainless (Used to cap off valve assembly)	\$62
30475	Housing Assembly, Upper, Blind	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly (4 required)	\$10 ea
33000	Strain Relief	\$16

**PARTS & ACCESSORIES
INSERTION TURBINE METERS**

TX80-SERIES		
Part #	Description	Price
25901	Bearing, Standard (2 required)	\$31 ea
17804	Cap, Brass (Used as plug for tee fitting)	\$56
17802	Cap, Polypro (Used as plug for tee fitting)	\$38
17801	Cap, PVC (Used as plug for tee fitting)	\$38
17803	Cap, Stainless Steel (Used as plug for tee fitting)	\$74
25081	O-Ring, EPDM	\$13
16455	O-Ring, Viton®	\$16
29953	Pickup, Micropower, Optional (Gray Cable) (FT415)	\$93
26310	Pickup, Low Power (Standard Blue) (FT420)	\$93
25321	Pickup Retaining Screw	\$28
26118	Pickup Retaining Screw Spanner (tool)	\$54
33000	Strain Relief	\$16
15527	U-Clip, Stainless	\$24
For TX series meters purchased BEFORE January 10, 2011 only		
25946	Rotor Assembly, Polypro/Tungsten Carbide, Standard (Rotor, Shaft)	\$125
25947	Rotor Assembly, PVDF, Kynar® (Rotor, Shaft)	\$249
25930	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard (Rotor, Bearings, Shaft)	\$147
25945	Rotor Repair Kit, Kynar®/Ceramic (Rotor, Bearings, Shaft)	\$279 ea
16710	Shaft Assembly, Ceramic (2 required)	\$55
For TX series meters purchased AFTER January 10, 2011 only		
33015	Rotor Assembly, Polypro/Tungsten Carbide, Standard (Rotor, Shaft)	\$125
33087	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard (Rotor, Bearings, Shaft)	\$147

**PARTS & ACCESSORIES
INSERTION TURBINE METERS**

TX101/201-SERIES		
Part #	Description	Price
30998	Adapter Fitting, Brass (for 1-piece adapter) (1-1/2" NPT Thread)	\$119
30999	Adapter Fitting, Stainless Steel (for 1-piece adapter) (1-1/2" NPT Thread)	\$193
14180	Adapter Fitting, Brass (for 2-piece Old Style adapter) (1-1/2" NPT Thread)	\$119
15060	Adapter Fitting, Stainless Steel (for 2-piece old style adapter) (1-1/2" NPT Thread)	\$193
26029	Adapter Fitting O-Ring, EPDM (for 2-piece old style adapter)	\$13
25901	Bearing, Standard (2 required)	\$31 ea
26065	Compression Ferrule	\$13
14199	Compression Nut, Brass	\$13
15064	Compression Nut, Stainless Steel	\$25
30475	Housing Assembly, Upper, Blind (Gasket, Label, Screws, Washers)	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly (4 required)	\$10 ea
26117	Mandrel (tool for IP, TX meters)	\$78
29953	Pickup, Micropower (for FT415)	\$93
26310	Pickup, Standard (for FT420)	\$93
26073	Plug, Steel (Used on lower housing of mounted FT415 only)	\$16
16454	Rotor Housing O-Ring, EPDM	\$13
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20
For TX series meters purchased BEFORE January 1, 2011 only		
25946	Rotor Assembly, Polypro/Tungsten Carbide, Standard (Rotor, Shaft)	\$125
25947	Rotor Assembly, PVDF, Kynar®/Ceramic (Rotor, Shaft)	\$249
25977	Rotor Housing, Brass	\$78
25978	Rotor Housing, Stainless Steel	\$108
25930	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard (Rotor, Bearings, Shaft)	\$147
25945	Rotor Repair Kit, Kynar®/Ceramic (Rotor, Bearings, Shaft)	\$279 ea
16710	Shaft Assembly, Ceramic (2 required)	\$55
For TX series meters purchased AFTER January 1, 2011 only		
33015	Rotor Assembly, Polypro/Tungsten Carbide, Standard (Rotor, Shaft)	\$125
33023	Rotor Housing, Brass	\$78
33024	Rotor Housing, Stainless Steel	\$108
33087	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard (Rotor, Bearings, Shaft)	\$147

**PARTS & ACCESSORIES
INSERTION TURBINE METERS**

TX115/215-SERIES		
Part #	Description	Price
26130	Adapter Fitting, Hot Tap, Brass (2" NPT Thread)	\$127
26131	Adapter Fitting, Hot Tap, Stainless Steel (2" NPT Thread)	\$207
26029	Adapter Fitting O-Ring, EPDM	\$13
14225	Ball Valve Assembly, Hot-tap, Brass	\$231
15225	Ball Valve Assembly, Hot-tap, Stainless Steel	\$693
25901	Bearing, Standard (2 required)	\$31 ea
14195	Cap, Brass (Used to cap off valve assembly)	\$47
14196	Cap, Stainless Steel (Used to cap off valve assembly)	\$62
14190	Collar, Locking, Brass	\$132
15170	Collar, Locking, Stainless Steel	\$192
26065	Compression Ferrule	\$13
14199	Compression Nut, Brass	\$13
15064	Compression Nut, Stainless Steel	\$25
30475	Housing Assembly, Upper, Blind (Gasket, Label, Screws, Washers)	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly (4 required)	\$10 ea
26117	Mandrel (tool for IP, TX meters)	\$78
29953	Pickup, Micropower (FT415)	\$93
26310	Pickup, Standard (FT420)	\$93
26073	Plug, Steel (Used on lower housing of mounted FT415 only)	\$16
16454	Rotor Housing O-Ring, EPDM	\$13
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20
For TX series meters purchased BEFORE January 1, 2011 only		
25946	Rotor Assembly, Polypro/Tungsten Carbide, Standard (Rotor, Shaft)	\$125
25947	Rotor Assembly, PVDF, Kynar® (Rotor, Shaft)	\$249
25977	Rotor Housing, Brass	\$78
25978	Rotor Housing, Stainless Steel	\$108
25930	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard (Rotor, Bearings, Shaft)	\$147
25945	Rotor Repair Kit, Kynar®/Ceramic (Rotor, Bearings, Shaft)	\$279 ea
16710	Shaft Assembly, Ceramic (2 required)	\$55
For TX series meters purchased AFTER January 1, 2011 only		
33015	Rotor Assembly, Polypro/Tungsten Carbide, Standard (Rotor, Shaft)	\$125
33023	Rotor Housing, Brass	\$78
33024	Rotor Housing, Stainless Steel	\$108
33087	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard (Rotor, Bearings, Shaft)	\$147

PARTS & ACCESSORIES
INSERTION PADDLEWHEEL METERS

IP80-SERIES		
Part #	Description	Price
25901	Bearing, Standard (2 required)	\$31 ea
17804	Cap, Brass (Used as plug for tee fitting)	\$56
17802	Cap, Polypro (Used as plug for tee fitting)	\$38
17801	Cap, PVC (Used as plug for tee fitting)	\$38
17803	Cap, Stainless Steel (Used as plug for tee fitting)	\$74
25081	O-Ring, EPDM	\$13
16455	O-Ring, Viton®	\$16
29953	Pickup, Micropower (FT415)	\$93
26310	Pickup, Standard (FT420)	\$93
25321	Pickup Retaining Screw	\$28
26118	Pickup Retaining Screw Spanner (tool)	\$54
11130	Rotor Assembly, PVDF, Kynar®/Tungsten Carbide, 6 Magnet (Rotor, Shaft)	\$89
11132	Rotor Assembly, PVDF, Kynar®/Ceramic, 6 Magnet (Rotor, Shaft)	\$157
25902	Rotor Repair Kit, PVDF, Kynar®/Tungsten Carbide, Standard, 6 Magnet (Rotor, Bearings, Shaft)	\$125
12131	Rotor Repair Kit, PVDF, Kynar®/Ceramic, 6 Magnet (Rotor, Bearings, Shaft)	\$193
33000	Strain Relief	\$16
15527	U-Clip, Stainless	\$23

IP101/201-SERIES		
Part #	Description	Price
30998	Adapter Fitting, Brass (for 1-piece Adapter) (1-1/2" NPT Thread)	\$119
30999	Adapter Fitting, Stainless Steel (for 1-piece Adapter) (1-1/2" NPT Thread)	\$193
14180	Adapter Fitting, Brass (for 2-piece Old Style Adapter) (1-1/2" NPT Thread)	\$119
15060	Adapter Fitting, Stainless Steel (for 2-piece Old Style Adapter) (1-1/2" NPT Thread)	\$193
26029	Adapter Fitting O-Ring, EPDM (for 2-piece Old Style Adapter)	\$13
25901	Bearing, Standard (2 required)	\$31 ea
26065	Compression Ferrule	\$13
14199	Compression Nut, Brass	\$13
15064	Compression Nut, Stainless Steel	\$25
30475	Housing Assembly, Upper, Blind (Gasket, Label, Screws, Washers)	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly (4 required)	\$10 ea
26117	Mandrel (tool for IP, TX meters)	\$78
29953	Pickup, Micropower, Optional (FT415)	\$93
26310	Pickup, Standard, Low Power (FT420)	\$93
26073	Plug, Steel (Used on lower housing of mounted FT415 only)	\$16
11130	Rotor Assembly, PVDF, Kynar®/Tungsten Carbide, 6 Magnet	\$89
11132	Rotor Assembly, PVDF, Kynar®/Ceramic, 6 Magnet	\$157
14220	Rotor Housing, Brass	\$74
15220	Rotor Housing, Stainless Steel	\$151
16454	Rotor Housing O-Ring, EPDM	\$13
25902	Rotor Repair Kit, PVDF, Kynar®/Tungsten Carbide, Standard, 6 Magnet	\$125
12131	Rotor Repair Kit, PVDF, Kynar®/Ceramic, 6 Magnet	\$193
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20

PARTS & ACCESSORIES
INSERTION PADDLEWHEEL METERS

IP115/215-SERIES		
Part #	Description	Price
26130	Adapter Fitting, Hot Tap, Brass (2" NPT Thread)	\$127
26131	Adapter Fitting, Hot Tap, Stainless Steel (2" NPT Thread)	\$207
26029	Adapter Fitting O-Ring, EPDM	\$13
14225	Ball Valve Assembly, Hot-tap, Brass	\$231
15225	Ball Valve Assembly, Hot-tap, Stainless Steel	\$693
25901	Bearing, Standard (2 required)	\$31 ea
14195	Cap, Brass (Used to cap off valve assembly)	\$47
14196	Cap, Stainless Steel (Used to cap off valve assembly)	\$62
14190	Collar, Locking, Brass	\$132
15170	Collar, Locking, Stainless Steel	\$192
26065	Compression Ferrule	\$13
14199	Compression Nut, Brass	\$13
15064	Compression Nut, Stainless Steel	\$25
30475	Housing Assembly, Upper, Blind (Gasket, Label, Screws, Washers)	\$48
26211	Housing Gasket	\$12
26229	Housing Screw Assembly (4 required)	\$10 ea
26117	Mandrel (tool for IP, TX meters)	\$78
29953	Pickup, Micropower (FT415)	\$93
26310	Pickup, Standard (FT420)	\$93
26073	Plug, Steel (Used on lower housing of mounted FT415 only)	\$16
11130	Rotor Assembly, PVDF, Kynar®/Tungsten Carbide, 6 Magnet	\$89
11132	Rotor Assembly, PVDF, Kynar®/Ceramic, 6 Magnet	\$157
14220	Rotor Housing, Brass	\$74
15220	Rotor Housing, Stainless Steel	\$151
16454	Rotor Housing O-Ring, EPDM	\$13
25902	Rotor Repair Kit, PVDF, Kynar®/Tungsten Carbide, Standard, 6 Magnet	\$125
12131	Rotor Repair Kit, PVDF, Kynar®/Ceramic, 6 Magnet	\$193
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20

**PARTS & ACCESSORIES
IN-LINE TURBINE METERS**

WT-SERIES: WTC, WTP, WTS		
Part #	Description: FOR ALL WT METERS	\$Price
26521	AO55 4-20 mA Transmitter Module (102 Model)	\$365
25073	Blanking Flange, Stainless 3"-8" WTC/WTS Only (Used to cap off body if insert is removed)	\$110
26519	FT415 Rate/Total Display Module (104 Model)	\$471
26949	FT420 Rate/Total Display Module (101 Model)	\$465
30475	Housing Assembly, Upper, Blind	\$48
26211	Housing Gasket	\$12
26229	Housing Screw & Washer Assembly (4 required)	\$10
25081	O-Ring, EPDM, 2"	\$13
29953	Pickup, Micropower (FT415)	\$93
26310	Pickup, Standard (FT420)	\$93
25321	Pickup Retaining Screw	\$28
26118	Pickup Retaining Screw Spanner (tool)	\$54
26073	Plug, Steel (Used on lower housing of 104 models)	\$16
15316	Rotor and Bearing Assembly 3"-8", PVDF, Kynar®	\$255
25962	Rotor Repair Kit, 3"-8", PVDF, Kynar®/Ceramic (15316 & (2) 16710)	\$284
30474	Rotor Repair Kit, Carbide, 3"-8" (15316 & (2) 30473)	\$293
30473	Shaft Assembly, Carbide, 3"-8" (2 required)	\$116
16710	Shaft Assembly, Ceramic (2 required)	\$55
33000	Strain Relief, Large (Center)	\$16
26079	Strain Relief, Small (Side), 2 Included	\$20
15527	U-Clip, Stainless	\$24
26116	WT Battery, C-size Lithium	\$52
Part #	Description: FOR WTC METERS	Price
32389	Blanking Flange, 3"-8"	\$116
32394	Insert Assembly, 2"	\$699
32388	Insert Assembly, 3"-8"	\$847
25105	Insert O-Ring, 3"-8"	\$19
Part #	Description: FOR WTP METERS	Price
26460	Insert Assembly, 2"	\$699
26461	Insert Assembly, 3"	\$734
26462	Insert Assembly, 4"-6"	\$734
07689	Insert Screw, 3"-6" (4 required)	\$5
16426	Insert O-Ring, 3"-6"	\$16
Part #	Description: FOR WTS METERS	Price
32394	Insert Assembly, 2"	\$699
25073	Blanking Flange, 3"-8"	\$116
26464	Insert Assembly, 3"-8"	\$847
25105	Insert O-ring, 3"-8"	\$19
For WT series -200 size meters purchased BEFORE January 1, 2011 only		
25947	Rotor and Bearing Assembly 2", PVDF, Kynar®	\$249
25945	Rotor Repair Kit 2", PVDF, Kynar®/Ceramic	\$279
For WT series -200 size meters purchased AFTER January 1, 2011 only		
33015	Rotor Assembly, Polypro/Tungsten Carbide, Standard	\$125
33087	Rotor Repair Kit, Polypro/Tungsten Carbide, Standard	\$147

PARTS & ACCESSORIES
IN-LINE TURBINE METERS, IN-LINE MAGMETERS, PLASTIC-BODIED MAGMETERS

WJ METER

Part #	Description	Price
30306	Reed Switch	\$88
32516	Lid and Hinge Pin Assembly	\$7
32517	Insert Assembly WJ-200	\$429
32518	Insert Assembly WJ-300	\$656
32519	Insert Assembly WJ-400	\$929
32520	Insert Assembly WJ-600	\$1708
32521	Insert Assembly WJ-800	\$2228

WMX

Part #	Description	Price
31090	Grounding Ring, 4" (2 required)	\$127
31091	Grounding Ring, 6" (2 required)	\$160
31092	Grounding Ring, 8" (2 required)	\$190
31093	Grounding Ring, 10" (2 required)	\$242
31126	Battery Pack, 2-D Cell Lithium, main power for WMX104	\$95
32186	Battery Pack, 2-AA Cell Lithium, backup power for WMX101	\$50
33164	Hinged Display Cover	\$53

WMP

Part #	Description	Price
31980	Fitting Kit (2" only)	\$75
33389	Fitting Kit (3" only)	\$150
32482	Power/Output Cable (WMP101 only)	\$74
32613	Battery Pack, 2-C Cell Lithium (WMP104 only)	\$78
33164	Hinged Display Cover	\$53

PE-102

PE-075 Accessories	Description	Price
32363	Cable, Output, 6 m with 8-pin female circular connector	\$67
32050	NPT: Threaded adapters, PVC (2 required) 3/4" x 3/4"	\$7 ea
32064	NPT: Threaded adapters, PVDF (2 required) 3/4" x 3/4"	\$45 ea
32315	NPT: Threaded adapters, PVC (2 required) 3/4" x 1/2"	\$7 ea
32314	NPT: Threaded adapters, PVDF (2 required) 3/4" x 1/2"	\$45 ea
31462	NPT: O-Ring, EPDM (2 required)	\$13 ea
32135	NPT: O-Ring, Viton (2 required)	\$16 ea
32128	3/4" Flaretek, Tubing Nut (2 required)	\$16
32129	Flaretek, Flare Tool, 3/4" Fitting	\$149

PE-038 Accessories	Description	Price
32363	Cable, Output, 6 m with 8-pin female circular connector	\$67
32728	NPT: Threaded adapters, PVC (2 required) 3/8" x 3/8"	\$7 ea
32729	NPT: Threaded adapters, PVDF (2 required) 3/8" x 3/8"	\$45 ea
32746	NPT: Threaded adapters, PVC (2 required) 3/8" x 1/4"	\$7 ea
32747	NPT: Threaded adapters, PVDF (2 required) 3/8" x 1/4"	\$45 ea
32741	NPT: O-Ring, EPDM (2 required)	\$13 ea
32742	NPT: O-Ring, Viton (2 required)	\$16 ea
32749	3/8" Flaretek, Tubing Nut (2 required)	\$16
32750	Flaretek, Flare Tool, 3/8" Fitting	\$149

**PARTS & ACCESSORIES
LOW FLOW METERS**

SES, SPT, SPX

Part #	Description: FOR ALL SES/SPT/SPX METERS	Price
16772	Bearing (2 required)	\$31 ea
26108	Bearing Removal Tool	\$147
29953	Pickup, Micropower (FT415)	\$93
26310	Pickup Low Power, Standard	\$93
11129	Rotor with Shaft, PVDF, Kynar®/Tungsten Carbide, Standard, 2 Magnet	\$89
11127	Rotor with Shaft, PVDF, Kynar®/Ceramic, Standard, 2 Magnet	\$157
11130	Rotor with Shaft, PVDF, Kynar®/Tungsten Carbide, 6 Magnet, High Res	\$89
11132	Rotor with Shaft, PVDF, Kynar®/Ceramic, 6 Magnet, High Res	\$157
Part #	Description: FOR SES METERS	Price
30557	Hex Screw, Body (4 required)	\$10 ea
25081	O-Ring, EPDM	\$13
31403	O-Ring, Teflon-Coated Viton®	\$30
Part #	Description: FOR SPT METERS	Price
07705	Hex Nut, Stainless, (4 required)	\$2 ea
26174	Lens Assembly (w/bearing), Teflon, Old Style (Before May 2005)	\$315
31401	Lens Assembly (w/bearing), Teflon, New Style (After May 2005)	\$293
25081	O-Ring, EPDM	\$13
31403	O-Ring, Teflon-Coated Viton®	\$30
07685	Screw (4 required)	\$4 ea
Part #	Description: FOR SPX METERS	Price
25370	Hex Screw, Body (4 required)	\$4 ea
16773	Lens Assembly (w/bearing), Acrylic, Old Style (Before May 2005)	\$123
31399	Lens Assembly (w/bearing), Acrylic, New Style (After May 2005)	\$101
16774	Lens Assembly (w/bearing), Polypro, Old Style (Before May 2005)	\$138
31400	Lens Assembly (w/bearing), Polypro, New Style (After May 2005)	\$116
25081	O-Ring, EPDM	\$13
16455	O-Ring, Viton	\$16

SEB

Part #	Description	Price
30381	Coupling Assembly, Brass, 3/4" (2 required)	\$ 24 ea
14085	Coupling Assembly, Brass, 1/2" (2 required)	\$11 ea
16076	Gasket, Coupling, 1/2" (2 required)	\$4 ea
30416	Gasket, Coupling Fiber, 3/4" (2 required)	\$4 ea
30576	Sensor in Cap	\$189

EM

Part #	Description	Price
30886	Fitting, EM-025 and EM-038, 3/8" NPT	\$ 42

PARTS & ACCESSORIES
PULSE METERS

MJ-SERIES (COLD for Temperatures 105° and BELOW)

Part #	Description: MJ METERS	Price
31444	Sensor, Single Reed Switch (MJR) (Incl. 12' cable)	\$59
31457	Sensor, Dual Reed Switch (MJR) (Incl. 12' cable)	\$67
31471	Lens, Sensor (MJ 3/4" to 2")	\$20
31519	Screw, MJ Sensor	\$2
31612	Single Hall-Effect Sensor (MJE) (Incl. 12' cable)	\$59
32142	4 Pole Magnet (MJR)	\$8
Part # Description: 3/4" MJ METERS Price		
32156	Coupling Set with 2 Gasket	\$44
31629	Coupling Gasket (2-pieces)	\$7
31625	Internal Assembly (cubic feet)	\$77
31621	Internal Assembly (gallons)	\$77
31483	Strainer, Internal	\$7
31619	Gasket Assembly, Lens (Incl. 31470 slip ring and 31472 o-ring)	\$6
31480	Gasket, Register	\$2
31616	Lid and Hinge Pin Assembly	\$7
31473	Register (cubic feet)	\$26
31463	Register (gallons)	\$26
31496	Strainer, Tubular	\$3
Part # Description: 1" MJ METERS Price		
32157	Coupling Set with 2 Gasket	\$83
31630	Coupling Gasket (2-pieces)	\$12
31626	Internal Assembly (cubic feet)	\$125
31622	Internal Assembly (gallons)	\$125
31517	Strainer, Internal	\$8
31620	Gasket Assembly, Lens (Incl. 31490 slip ring and 31472 o-ring)	\$6
31494	Gasket, Register	\$2
31617	Lid and Hinge Pin Assembly	\$7
31474	Register (cubic feet)	\$31
31464	Register (gallons) (Incl. 31491 slip ring and 31472 o-ring)	\$31
31497	Strainer, Tubular	\$5
Part # Description: 1-1/2" MJ METERS Price		
32158	Coupling Set with 2 Gasket	\$138
31631	Coupling Gasket (2-pieces)	\$13
31627	Internal Assembly (cubic feet)	\$251
31623	Internal Assembly (gallons)	\$251
31518	Strainer, Internal	\$12
31633	Gasket Assembly, Lens (Incl. 31491 slip ring and 31472 o-ring)	\$6
31495	Gasket, Register	\$4
31618	Lid and Hinge Pin Assembly	\$8
31475	Register (cubic feet)	\$103
31465	Register (gallons)	\$103
31498	Strainer, Tubular	\$10

**PARTS & ACCESSORIES
PULSE METERS**

MJ-SERIES (COLD for Temperatures 105° and BELOW) Continued from pg. 27

Part #	Description: 2" MJ METERS	Price
32159	Coupling Set with 2 Gasket	\$198
31632	Coupling Gasket (2-pieces)	\$17
31628	Internal Assembly (cubic feet)	\$327
31624	Internal Assembly (gallons)	\$327
31518	Strainer, Internal	\$12
31633	Gasket Assembly, Lens (Includes 31491 Slip ring and 31472 O-ring)	\$6
31495	Gasket, Register	\$4
31618	Lid and Hinge Pin Assembly	\$8
31476	Register (cubic feet)	\$103
31466	Register (gallons)	\$103
31499	Strainer, Tubular	\$12

MJH-SERIES (HOT for Temperatures 194° and BELOW)

Part #	Description: MJH METERS	Price
31444	Sensor, Single Reed Switch (MJHR) (Includes 12' of cable)	\$59
31457	Sensor, Dual Reed Switch (MJHR) (Includes 12' of cable)	\$67
31471	Lens, Sensor (MJH 3/4" to 2")	\$20
31519	Screw, MJ Sensor	\$2
31612	Single Hall-Effect Sensor (MJHE) (Includes 12' of cable)	\$59

Part #	Description: 3/4" MJH METERS	Price
32215	Coupling Set with Gasket	\$54
32211	Coupling Gasket (2-pieces)	\$8
32233	Internal Assembly (cubic feet)	\$96
32237	Internal Assembly (gallons)	\$96
32266	Strainer, Internal	\$9
32219	Gasket Assembly, Lens (Includes 32263 Slip ring and 32251 O-ring)	\$7
32226	Gasket, Register	\$3
32241	Lid and Hinge Pin Assembly	\$9
32255	Register (cubic feet)	\$33
32259	Register (gallons)	\$33
32269	Strainer, Tubular	\$4

Part #	Description: 1" MJH METERS	Price
32216	Coupling Set with Gasket	\$100
32212	Coupling Assembly Gasket (2-pieces)	\$15
32234	Internal Assembly (cubic feet)	\$157
32238	Internal Assembly (gallons)	\$157
32267	Strainer, Internal	\$10
32220	Gasket Assembly, Lens (Includes 32264 Slip ring and 32251 O-ring)	\$7
32227	Gasket, Register	\$3
32242	Lid and Hinge Pin Assembly	\$9
32256	Register (cubic feet)	\$39
32260	Register (gallons)	\$39
32270	Strainer, Tubular	\$6

**PARTS & ACCESSORIES
PULSE METERS**

MJH-SERIES (HOT for Temperatures 194° and BELOW) Continued from pg. 28

Part #	Description: 1-1/2" MJH METERS	Price
32217	Coupling Set with Gasket	\$171
32213	Coupling Gasket (2-pieces)	\$17
32235	Internal Assembly (cubic feet)	\$313
32239	Internal Assembly (gallons)	\$313
32268	Strainer, Internal	\$14
32221	Gasket Assembly, Lens (Includes 32265 Slip ring and 32251 O-ring)	\$7
32228	Gasket, Register	\$5
32243	Lid and Hinge Pin Assembly	\$10
32257	Register (cubic feet)	\$129
32261	Register (gallons)	\$129
32271	Strainer, Tubular	\$13
Part # Description: 2" MJH METERS Price		
32218	Coupling Set with Gasket	\$233
32214	Coupling Gasket (2-pieces)	\$21
32236	Internal Assembly (cubic feet)	\$409
32240	Internal Assembly (gallons)	\$409
32268	Strainer, Internal	\$14
32221	Gasket Assembly, Lens (Includes 32265 Slipring and 32251 O-ring)	\$7
32228	Gasket, Register	\$5
32243	Lid and Hinge Pin Assembly	\$10
32258	Register (cubic feet)	\$129
32262	Register (gallons)	\$129
32272	Strainer, Tubular	\$14

PARTS INDEX

Part#	Price	Page
07235	\$30	17
07245	\$30	17
07250	\$30	17
07470	\$2/ft	17
07480	\$2/ft	17
07483	\$41	17
07490	\$3/ft	17
07640	\$16	16
07650	\$12	16
07685	\$4 ea	27
07689	\$5	25
07705	\$2 ea	27
11127	\$157	27
11129	\$89	27
11130	\$89	23,24,27
11132	\$157	23,24,27
12010	\$41	17
12050	\$41	17
12131	\$193	23,24
13666	\$87	17
13667	\$95	17
13668	\$87	17
13669	\$95	17
13670	\$87	17
13671	\$87	17
14085	\$11 ea	27
14180	\$119	21,23
14190	\$132	22,24
14195	\$47	19,22,24
14196	\$62	19,22,24
14199	\$13	21,22,23,24
14220	\$74	23,24
14225	\$231	19,22,24
15060	\$193	21,23
15064	\$25	21,22,23,24
15170	\$192	22,24
15220	\$151	23,24
15225	\$693	19,22,24
15316	\$255	25
15527	\$23	19,20,23,25
16076	\$4 ea	27
16426	\$16	25
16454	\$13	21,22,23,24
16455	\$16	19,20,23,27
16710	\$55	20,21,22,25

Part#	Price	Page
16772	\$31 ea	27
16773	\$123	27
16774	\$138	27
17801	\$38	19,20,23
17802	\$38	19,20,23
17803	\$74	19,20,23
17804	\$56	19,20,23
25073	\$110	25
25081	\$13	19,20,23,25,27
25105	\$19	25
25321	\$28	20,23,25
25370	\$4 ea	27
25901	\$31 ea	20,21,22,23,24
25902	\$125	23,24
25930	\$147	20,21,22
25945	\$279 ea	20,21,22,25
25946	\$125	20,21,22
25947	\$249	20,21,22,25
25962	\$284	25
25977	\$78	21,22
25978	\$108	21,22
26029	\$13	19,21,22,23,24
26065	\$13	21,22,23,24
26073	\$16	21,22,23,24,25
26108	\$147	18,27
26116	\$52	16,25
26117	\$78	18,21,22,23,24,25
26118	\$54	18,20,23,25
26130	\$127	22,24
26131	\$207	22,24
26156	\$41	17
26174	\$315	27
26211	\$12	16,19,21,22,23,24,25
26229	\$10 ea	16,19,21,22,23,24,25
26310	\$93	20,21,22,23,24,25,27
26460	\$699	25
26461	\$734	25
26462	\$734	25
26464	\$847	25
26493	\$2/ft	17
26519	\$471	16,25
26520	\$128	16
26521	\$365	16,25
26949	\$465	16,25
29953	\$93	20,21,22,23,24,25,27

PARTS INDEX

Part#	Price	Page
30138	\$533	16
30221	\$59	16
30306	\$88	26
30381	\$ 24 ea	27
30416	\$4 ea	27
30430	\$2/ft	17
30473	\$116	25
30474	\$293	25
30475	\$48	19,21,22,23,24,25
30557	\$10 ea	27
30576	\$189	27
30717	\$34	18
30886	\$42	27
30937	\$5/ft	17
30998	\$119	21,23
30999	\$193	21,23
31010	\$4/ft	17
31011	\$4	18
31012	\$2/ft	18
31075	\$5	18
31090	\$127	11,26
31091	\$160	11,26
31092	\$190	11,26
31093	\$242	11,26
31126	\$95	26
31399	\$100	27
31400	\$116	27
31401	\$293	27
31403	\$30	27
31444	\$59	17,28,29
31457	\$67	17,28,29
31462	\$13 ea	15,26
31463	\$26	28
31464	\$31	28
31465	\$103	28
31466	\$103	29
31471	\$20	28,29
31473	\$26	28
31474	\$31	28
31475	\$103	28
31476	\$103	29
31480	\$2	28
31483	\$7	28
31494	\$2	28
31495	\$4	28,29

Part#	Price	Page
31496	\$3	28
31497	\$5	28
31498	\$10	28
31499	\$12	29
31517	\$8	28
31518	\$12	28,29
31519	\$2	28,29
31612	\$59	17,28,29
31616	\$7	28
31617	\$7	28
31618	\$8	28,29
31619	\$6	28
31620	\$6	28
31621	\$77	28
31622	\$125	28
31623	\$251	28
31624	\$327	29
31625	\$77	28
31626	\$125	28
31627	\$251	28
31628	\$327	29
31629	\$7	28
31630	\$12	28
31631	\$13	28
31632	\$17	29
31633	\$6	28,29
31980	\$45	12,26
32046	\$350	16
32050	\$7 ea	15,26
32064	\$45 ea	15,26
32128	\$16	15,26
32129	\$149	15,26
32135	\$16 ea	15,26
32142	\$8	28
32156	\$44	28
32157	\$83	28
32158	\$138	28
32159	\$198	29
32186	\$50	26
32211	\$8	29
32212	\$15	29
32213	\$17	30
32214	\$21	30
32215	\$54	29
32216	\$100	29

PARTS INDEX

Part#	Price	Page
32217	\$171	30
32218	\$233	30
32219	\$7	29
32220	\$7	29
32221	\$7	30
32226	\$3	29
32227	\$3	29
32228	\$5	30
32233	\$96	29
32234	\$157	29
32235	\$313	30
32236	\$409	30
32237	\$96	29
32238	\$157	29
32239	\$313	30
32240	\$409	30
32241	\$9	29
32242	\$9	29
32243	\$10	30
32255	\$33	29
32256	\$39	29
32257	\$129	30
32258	\$129	30
32259	\$33	29
32260	\$39	29
32261	\$129	30
32262	\$129	30
32266	\$9	29
32267	\$10	29
32268	\$14	30
32269	\$4	29
32270	\$6	29
32271	\$13	30
32272	\$14	30
32314	\$45 ea	15,26
32315	\$7 ea	15,26
32363	\$67	15,26
32367	\$54	18
32388	\$847	25
32389	\$116	25
32391	\$56	25
32394	\$699	25
32464	\$350	16
32482	\$74	12,26
32516	\$7	26

Part#	Price	Page
32517	\$429	26
32518	\$656	26
32519	\$929	26
32520	\$1,708	26
32521	\$2,228	26
32588	\$41.	17
32600	\$41	17
32601	\$87	17
32602	\$87	17
32603	\$95	17
32613	\$78	26
32728	\$7 ea	15,26
32729	\$45 ea	15,26
32741	\$13 ea	15,26
32742	\$16 ea	15,26
32746	\$7 ea	15,26
32747	\$45 ea	15,26
32749	\$16	15,26
32750	149	15,26
32896	\$30	17
33000	\$16	16,19,20,21,22,23,24,25
33015	\$125	20,21,22,25
33023	\$78	21,22
33024	\$108	21,22
33087	\$147	20,21,22,25
33164	\$53	18,26

Part#	Price	Page
DC100	\$240	11,17
DC150	\$355	11,17
DC200	\$470	11,17
DC30	\$103	11,17
DC35	\$140	11,17
MK10	\$61	18
MK20	\$110	18
PC2	\$87	3,18
PC3	\$76	3,18
PC42	\$173	3,18
RSP5	\$435	3,18

Part#	Price	Page
CALIBRATION	VARIABLES	18
HC	\$20	18
RESTOCK	30%	18
RUSH	VARIABLES	18



P.O. Box 1589 • Kent, WA 98035 • 253-872-0284
Fax: 253-872-0285 • Toll Free: 1-800-975-8153
www.seametrics.com